

Dancing Wall

Environmental Product Passport



The information in this product passport is only valid for the following variant:


Dancing Wall - Art. no. 86090001

[More about Dancing Wall on our website](#)

More details about Vitra's environmental mission are available at
vitra.com/about-vitra.

Carbon footprint

The carbon footprint stands for the amount of greenhouse gas emissions (also referred to as carbon emissions) generated throughout a product's entire life cycle. The carbon footprint is most commonly expressed in CO₂ equivalents (CO₂e) as a standard measure for the warming effect of all greenhouse gases.



●	Raw materials, incl. extraction, processing and manufacturing	487.4	92.0%
●	Transport and installation	21.0	4.0%
●	End-of-life and disposal	21.5	4.1%
Total / kg CO₂e		530.0	100%

This calculation includes emissions from direct suppliers (Tier 1). Total may vary slightly from 100% due to rounding.

Recycling

Following the principle of the circular economy, Vitra uses the largest amount of recycled and recyclable materials possible. This proportion will increase as a result of ongoing product development.

35%

Recycled content

81%


Recyclability

Post-consumer recycled content	Post-industrial recycled content	Total recycled content	Recyclability
35%	0%	35%	81%

Further information including a glossary of terms is available at www.vitra.com/sustainability.

Material Composition

Vitra uses a wide range of materials that must all withstand stringent internal and external testing procedures. If a new material is found that is better for the environment and meets Vitra's quality criteria, suitable products are executed in that material.



Materials used in Dancing Wall

● Steel	68.7%
● Wood products	11.5%
● Other	6.9%
● Polyester	4.9%
● Aluminium	4.4%
● Polyamide	3.0%
● Polyurethane	0.5%
● Other thermoplastics	0.1%
Total	100%

Total may vary slightly from 100% due to rounding.

Packaging and logistics

Vitra uses detailed information to elaborate targeted optimisation of transport routes. Preference is given to rail transport, and Vitra aims for the most efficient capacity management possible when using lorries.

Packaging serves to protect the product and minimise the transport volume. Packaging is reduced wherever possible and materials are optimised in terms of their impact on the environment.

Packaging and materials	Purpose	Weight
1 plastic bag made of 50% recycled polyethylene	Protection from dust, humidity and scratches	700 g
Cardboard box, FSC-certified made of min. 50% recycled paper	Product protection and stackability	6.5 kg
Polyethylene edge protection	Edge protection	300 g

Supply chain

Vitra purchases its raw materials and components almost exclusively from suppliers in Europe, which simplifies compliance with uniform statutory standards and shortens transport routes. Vitra maintains long-term relationships with many of its suppliers, some spanning several decades, which is a key advantage for the further development of products, technologies and materials.

100%

European
suppliers

100%

assembled in Europe



This map and percentage calculation represents Vitra's direct suppliers (Tier 1). Total may vary slightly from 100% due to rounding. Percentages by weight.

Provenance of Components

1 Germany	84.96%	3 Italy	2.90%
Frame	55.96%	Base	2.90%
Whiteboard panel	12.84%		
Covering	8.98%	Assembly	
Suspension rail	2.58%		
Base board	1.48%	vitra.	
Castors	1.22%	Weil am Rhein, Germany	100.00%
Other components	1.08%		
Magnet	0.82%		
2 Hungary	12.14%		
Fabric panels	12.14%		

Certificates

To offer transparency with regard to a product's most important environmental factors, Vitra provides certificates from external testing institutes. For this purpose, Vitra focuses on a selection of certificates that explicitly cover key elements of the respective product.

Greenguard

The GREENGUARD label for indoor air quality recognises products that contribute to the creation of healthier indoor environments.

[Link to certificate](#)



GS

With the GS seal for tested safety, a state-authorized inspection institute certifies the suitability and safety of the construction and monitors production at regular intervals.

[Link to certificate](#)



BIFMA

Dancing Wall fulfils the ANSI/BIFMA standard X5.1-2011, thus meeting the stringent safety requirements for the US market.

[Link to certificate](#)

BIFMA

Spare parts

Castors and glides can be ordered directly from the [vitra.com](#) website. [Link to online shop](#)

For other spare parts, please contact Vitra or your local Vitra partner.

[Link to service contact form](#)



Care instructions

Here you will find care instructions for cover fabrics, leather, plastics and metals.

[Link to website](#)




Warranty & Service

General two-year warranty on Dancing Wall.

For matters relating to maintenance and repair or general enquiries, contact our Service Team using the following form.

[Link to service contact form](#)



Find Vitra

Here you can find the nearest Vitra location or a Vitra partner for local assistance.

[Find Vitra](#)



Further information and contact details

The information in this product passport is only valid for the following variant:

Dancing Wall - Art. no. 86090001

Frame, feet, castors colour basic dark powder coated (smooth),
base board natural oak,
whiteboard (magnetic) 2 units,
fabric panel 2 units, fabric Plano, colour nero,
additional elements tray,
elektrification not provided

Source for Carbon Footprint:

Environmental Product Declaration. The EPD conforms to ISO 14025, 14040, 14044 and EN 15804 and will be externally verified. Life Cycle Impact Assessment Results for one Dancing Wall (functional unit), that is used for 15 years.

The system boundary is cradle-to-grave.

[More about Dancing Wall on our website](#)

For questions relating to the environmental product passport or other enquiries on the topic of sustainability, please contact us at sustainability@vitra.com

vitra.® All commercial, industrial and intellectual property rights, including trademarks, patents and copyrights, remain the property of Vitra and are explicitly reserved.

No part of this brochure may be reproduced without prior written permission from Vitra.